

# Ovarian fibrothecoma

## Nationality & number of reports

India	4 reports
Nigeria	3 reports
Morocco, China, USA, Macedonia, Eritrea, Bangladesh	1 report each



Age

15 – 75  
years

Mean 46 years  
Median 48 years



Gender


13  
Female

## References

- Tan, N., et al. Diagn Pathol. 2022 17, 83.  
 Veena KS, Vasson P. The New Indian Journal of OBGYN. 2022; 9(1): 184-7.  
 Elsharoud A, et al. SAGE Open Medical Case Reports. 2020;8.  
 Mahtate M, et al. MOJ Clin Med Case Rep. 2022;12(4):56–58.  
 Rexhepi M, et al. Open Access Maced J Med Sci. 2020;8, 101-5.  
 Ansari NP et al. CBMJ 2024 13 (1)  
 GuptaV et al. Int J Reprod Contracept Obstet Gynecol. 2016;5(12):4491-4492  
 Kumari N, et al. Obstet Gynecol Int J. 2019;10(3):207–209  
 Emegoakor, F. , et al. Open Journal of Obstetrics and Gynecology, 2020; 10, 815-819.  
 Akpor I. O.et al. world journal of advance healthcare research. 2020, 4 (2); 185–189  
 Maanongun MT et al. International journal of scientific research. 2021. 10(4)  
 Jagtap SV, et.al. Int J Health. Sci Res. 2021; 11(3):145-148  
 Frezgi O, et al. Res J Onco. 2023; 7:11.

## KumbacareRD

Time reduction to clinical diagnosis  
that could have been achieved  
(percent of patients)




7%

4–5 years



53%

1–2 years



40%

**Could not be  
detected**

*(The tertiary care reports gave  
no indication of changes in  
menstruation  
that would have been  
influential if reported)*